

OCEANREEF®
underwater, naturally.

DIVE INTO THE FUTURE

26

DIVING CATALOG

WE MAKE
FULL FACE MASKS



WE WERE ALL BORN FROM THE SEA.
Maybe that's why we're so irresistibly
attracted to it.

As soon as we're immersed in it,
once again we turn to breath, we feel
we're back to our true natural setting.

In our every effort, every thought,
every dream, the sea finds its way.
We yearn to be back in it to better
observe it, to admire its grandness,
always with new eyes.

To be back in it, to be astonished by
it and to share its wonders with our
friends.

To be back in it to imbue new life to
the very place that's been witness
to the birth of it all.



OCEANREEF®
underwater, naturally.

WHAT IS AN IDM (INTEGRATED DIVING MASK)	6	HARDWIRED COMMUNICATION	40
PROFESSIONAL LINE IDMs		- ALPHA PRO X DIVERS	40
- NEPTUNE III	8	- SURFACE UNIT	40
- NEPTUNE III BASIC	14	- UNDERWATER UNIT	41
VESPER	16	- ALPHA PRO X DIVERS PROFESSIONAL CABLE	42
FIRST STAGES AND PRESSURE GAUGE	18	- ALPHA PRO X DIVERS BAG	43
- SL35TX DIN	18	- CABLE FLEETERS	43
- SL35TX INT	18	COMPARING UNITS	44
- PRESSURE GAUGE	18	AUDIO & VIDEO SURFACE UNITS	47
ACCESSORIES	19	- GAMMA ALPHA HD	47
- OCTOPUS – SECONDARY REGULATOR	19	- GAMMA 105	48
- BUMP BACK-UP MASK (& SNORKEL) PACKAGE	19	SPECIAL PRODUCTS AND TOOLS	48
- EXTENDER KIT	20	- AQUARIUM AND SHOWS INSTALLATIONS	48
- CAMERA & TORCH SUPPORT	21	- PORTABLE AIR CONTROL MODULE	49
- FOLDABLE NACS FOR EXTENDER	21	- OCEAN ECHO	50
- PROFESSIONAL ACCESSORIES MOUNT	22	- WIRELESS MICROPHONE TRANSMITTER	51
- ADDITIONAL ACCESSORIES	23	- NOZZLE ADJUSTMENT TOOL	52
- ADAPTERS	24	- TRAINING TOOL KIT (DELUXE)	52
- NEPTUNE III BACKPACK	26	- IDM REGULATOR ADAPTER	52
- Q.R.S. (QUICK RELEASE SYSTEM)	27	- PORTABLE TEST BENCH	52
- EXTRAFLEX QUICK DISCONNECT HOSES	27	SPECIAL BUNDLES – AVAILABLE	
- EXTRAFLEX COMMERCIAL QUICK DISCONNECT HOSE	27	ACCORDING TO REGION	53
- QD CONNECTION (MALE PART ONLY)	27	- LA project	53
- STANDARD 9/16" ADAPTER	27	- B2D KEY WESTDIVER RECALL SYSTEM	53
- SWIVEL CONNECTION	28	SPORTSWEAR & PROMOITEMS CATALOG	55
- DUAL TANK VALVE	28	- T-SHIRT	56
- OPTICAL LENS SUPPORT 2.0	29	- CAPS	57
- LENSES	30	- PATCHES	58
- OPTICAL LENS POINT OF SALE	30	- STICKERS	59
- MAGENTA COLOR ENHANCING LENSES	30	- DISPLAY	60
- CUSTOMIZATIONS	30	- FLAG	60
COMMUNICATION UNITS	31	- PROMO ITEMS	61
WIRELESS COMMUNICATION	32	NEMO'S GARDEN	62
- GSM MERCURY	32	OCEANREEF NIII / AVELO SYSTEM	63
GSM CUBE3	34	JOIN OUR FACEBOOK GROUP	64
- GSM G.DIVERS	35	OCEANREEF ONLINE SCHOOL	66
- M101A	36		
- M105 DIGITAL DC	38		
- MIXER	38		
- M100	39		

Our story, our adventure



ORIGINS OF SCUBA DIVING

The **Gamberini family**, at that time, owned a small tire repair shop in the heart of Genova. Like many stories of success, hard work is supported by **passion**.

It is passion that drove Giorgio and Ruggero Gamberini. Passion that animated their experiments with rubber that ended up attracting the attention of a mythical person at the time: **Commander Ferraro** – The Professor – who's story would deserve a book on it's own thanks to his military scuba endeavours during the war. He became one of very few, living, recipients of the Military Gold Medal – highest recognition of the Italian Navy.

Ferraro was in the middle of designing **his first rubber masks and fins** for scuba diving and swimming when he reached out to the Gamberini brothers because of their expertise with this new material. Shortly after, the two brothers (with the addition of the third brother – Gianni), were contacted by Egidio and Nanni Cressi, as they, too, were caught up in designing their first products to **open up the underwater world to the masses**.

From these first steps the Cressi brothers founded modern Cressi-Sub and Ferraro **founded Technisub**. These successful partnerships attracted a third

famous personality: a young, Istrian refugee called Ludovico Mares, with whom, the Gamberini brothers would go on to found Mares.

Brands that not only have made the history of scuba diving – **they generated the scuba industry**.

The collaboration with these innovators is one of the reasons why the Gamberini's have specialized in OEM production for rubber products for so long.

A LUCKY MISTAKE

History of mankind is full of lucky findings and discoveries, one of the most famous ones is Alfred Nobel's discovery of dynamite.

A much less gruesome story is that of how the Gamberini brothers ended up creating **a wrong rubber mix**, in the late 1950s, **creating the first ever floating rubber**.

Gianni Gamberini, disappointed and annoyed with the result of his experiment, threw a test mix to cool off in a water recipient. To his awe, the rubber piece, went right back to the surface and floated.

Shortly after, the first floating fins were on the market. The first one to intelligently exploit this discovery was business-keen Cressi, who had great success with this line of products.



TALKING ABOUT DIVERSIFYING AND FLEXIBILITY

Since then the Gamberini Family has always been working with rubber, plastics and its derivatives, mastering this category of raw material and continually finding **new potential uses and markets**.

After the three brothers, came Giorgio's sons: Guido and Sergio, whom, 30 years later found themselves producing Binda's historical intuition. Binda – the famous co-owner of famous luxury watch brands. Guido and Sergio produced **the first rubber straps for watches**, characterized by bright colors and bold patterns, never before imagined – the HIP-HOP watch was born... then the first Swatches.

The watch expertise continued with important clients such as Hublot and Bulgari, with the key addition of Sergio's son Massimo.

Meanwhile, other business opportunities arose.

A big market was found in medical and work safety products. Famous products for NBC military and civil use were created.

BACK TO THE WATER

Sergio's personal passion for water and the ocean, combined with the family's rubber and plastic manufacturing DNA, along with his studies as a chemical engineer, created the ingredients from which the modern history – **OCEAN REEF** brand – was born.

In **1993**, Sergio orchestrated **the purchase of an American scuba manufacturing company** based in San Diego – Ocean Edge.

Sergio's intuition was to create a cross over from their gas mask design and expertise, back into the scuba industry, **his first Full Face Mask for diving**: a technical and innovative product that would guarantee a more comfortable, safe and relaxing underwater experience. From Reef-Marine and Ocean Edge, OCEAN REEF was incorporated. Since **the full face mask had the advantage of a free mouth** – the subsequent step was to develop the underwater communication market. OCEAN REEF is now one of the **leaders in this market**.

FROM THE DEPTHS TO THE SURFACE

Recent history of the group has been made by **another outstanding partnership**: with Sport Distribution leader and giant, **Decathlon**.

With an excellent team work, a long and complex project was concluded with the birth of **the first ever Full Face mask for Snorkeling** use (FFSM). The famous and inexpensive **Easybreath** was born from this synergy. The success of this product literally revolutionized the snorkeling market – and is still shaking it –, years later. After a long while, OCEAN REEF decided to design and patent a different level product in the same category, named **Aria**, its own FFSM – with a **distinctive attention for quality, safety and design**. A true Made in Italy product. The position of worldwide FFSM leader was then solidified with other big partnerships.

UNDERWATER GARDENING

In the meantime, another revolutionary idea "sunFaced". Italians, as we know, love talking about Food.

In 2012, Sergio was on vacation in his beloved Noli, a beautiful medieval town, just 60km from Genova, when, talking with a friend, the idea to **grow plants underwater** started to shape in his mind. This began an amazing project for **underwater greenhouses** and is still dropping jaws across the world today.

Nowadays the OCEAN REEF brand is committed to make the underwater world more favorable to mankind, by making its experiences easier. Our soul rests upon our American and Italian heritage.

This has always been our attitude.

This is what we believe in.

This is why our feet are well grounded and our mind is constantly Underwater, Naturally.

WHAT IS AN IDM (INTEGRATED DIVING MASK)

Our version of how a Full Face mask For scuba should be.

JAW FATIGUE

- Nothing to bite on.
- Frees mouth to communicate, drink.
- Enables nose breathing.

FOGGING

- No product treatment needed.
- No Fogging thanks to the air circulation system.

MASK PRESSURE EQUALIZATION

- Breathing apparatus integrated into the mask means automatic pressure equalization at each inspiration.

FLOODING

- Breathing inside the mask automatically purges water through the draining/exhalation valve if water were to be inside the mask for any reason. When voluntarily Flooding the mask, a couple purges of the second stage button completely clear the water from the mask.



Natural Breathing
Through nose and mouth



FACE SEAL

- Patented bellows double "S", "spring profile", skirt.
- Larger sealing surface.
- More comfort thanks to the "floating effect" on the face
- Available in 2 sizes.
- Seal capability derived from gas mask applications (CBRN tests) – the hardest test possible a face seal has to withstand.

FIELD OF VISION

- Larger field of vision than competitors (Italcert Certification PPE-05 RIF 1332/05).
- Visible light transfer of the visor is 92%, meaning a clearer view.
- Designed wider and sits closer to the face than other visors, giving a broader field of vision and less volume buoyancy.
- For visual comparison check page 10.

DURABILITY AND SCRATCH RESISTANCE

- Transparent polycarbonate visor made in Italy.
- Both sides are coated in siloxane resin for improved scratch and chemical resistance.
- Impact resistance tested by STANAG 4296 standards: impact of a steel ball traveling at 540 kph (335 mph).



WATCH THE VIDEO

HEAD HARNESS AND FAST ROTATING BUCKLE II

- Head harness attached to the face shield not on the skirt meaning no tearing and much better resistance to tugging.
- Six straps meaning no risk of losing reg if unconscious (much greater chance of surviving such an event) or violently hit.
- Wide strap tips for easy grasping.
- Fast rotating buckle system (different configurations per model) for comfortable and quick doffing and donning on the surface and secure, fast operations during underwater bail out or wearing.
- Neptune III now features first and only ever one-hand quick release system (QRS) doffing handle. Find out more on page 31.

MULTITOOL

Our multitool is the perfect holder for the equalization extensions.



3D EQUALIZATION SYSTEM

- Patented design.
- 3 way directional adjustment system: up/down, wide/narrow, close/far. Made for maximum comfort and nose breathing.
- Pushing the mask towards the face when needed causes the plugs to create a nasal seal.



AIR CIRCULATION

- Air circulation is achieved with an oronasal pocket so that CO₂ build-up is not mixed with fresh air.
- One-way circulation keeps mask clean.



SURFACE AIR VALVE

- Easy to grab, sturdy design.
- Large air vents.
- Allows IDM divers to breathe ambient air when at the surface, without having to take off the mask.



neptune III

Evolved Innovation.
Badass Design.



DESIGNED BY DIVERS, FOR DIVERS.

Tested by Divilab US to exceed performance at -60m

PROFESSIONAL LINE



RUGGED - Signature double coated visor is renowned for its unparalleled toughness and clearness, now combined with tech PU regulator protection and silicone deflector to absorb the shocks of intense scuba diving use.



EFFORTLESS - Completely new 2nd stage design and engineering. This FFM breathes smooth as silk.

COMFORTABLE - Premium materials, redesigned orinasal pocket resulting from the experience we have learned from more than 1 million of FFSM we have made for people around the globe.



**BREATHES
+33%
BETTER**

Vertical body, balanced – all new Neptune III regulator delivers amazingly smooth breathing at any depth. This IDM breathes **+33% better** than our Neptune Space. There is no bulk on your chin, exhaled bubbles in your eyesight or getting stuck while moving your head left and right.



INNOVATIVE - The 2nd stage is fully integrated into the mask, as per our company's philosophy, but now it can be detached quickly (Level 1 tech certification required) for faster than ever servicing and swap.

WATCH THE VIDEO




MODELS	SKU	UPC
NIII 2nd STAGE	OR005091	764500013280

OCEAN REEF Neptune III IDM customers can enjoy the flexibility and possibility of a back-up regulator. Ideal for dive teams (i.e. – public safety, military, intensive use divers).

SAV III - While designing the IDM we decided to improve our professional surface air valve as well. Now with a new design, better grasping surface and an internal valve, **the mask will not fog when not connected to the cylinder and water will not drip** in if you leave the valve open when submerging your head.

PRACTICAL - All the great designers in the world could come together to make the most beautiful product ever, but we divers, need products that are more than beautiful - they must be practical. Neptune III is just that.

BADASS - Not our words, just the natural reaction of anyone who gets to look at this IDM and hold it in their hands.



OCEAN REEF Neptune III OCEAN REEF Neptune III
OCEAN REEF Space OCEAN REEF Neptune III
Competitor 1 OCEAN REEF Neptune III
Competitor 2

The Neptune III visor is all new and designed from scratch – it **offers the widest field of vision of any conventional and any Full Face mask on the market**. The Neptune III visor surpasses the Space's field of vision by +10%. Using an uncommon **vertical body regulator** was a conscious design choice to push vertical vision to its maximum potential. Reading instrumentation and operating your equipment with a FFM has never been easier.

Approx size of the mask:

24 cm (9.44 inch) high
20 cm (7.87 inch) wide
20 cm (7.87 inch) deep

Weight of mask not in use (saltwater):

0,35 kg (0,77 lbs)

Buoyancy (in saltwater):

0,35 kg (0,77 lbs)

-47%

BUOYANCY

Neptune III is 47% less buoyant than other FFMs

-24%

INTERNAL VOLUME

24% smaller than competition.

COLOR	SIZE	SKU	UPC
BLACK	S/M	OR025200	764500012351
	M/L	OR025201	764500012368
WHITE	S/M	OR025202	764500012375
	M/L	OR025203	764500012382
BLUE	S/M	OR025204	764500013204
	M/L	OR025205	764500013211

SAFE

COMPLETE - Certifying this product: we decided that we wanted to guarantee OCEAN REEF divers could rely on a certified set, not just a second stage and first stage. Neptune III can be purchased with its first stage, pressure gauge, quick disconnect hose, quick disconnect octopus and back-up conventional mask.



FUNCTIONAL - This product can be used in almost any conditions, we built it that way. For example, the Neptune III is the **first FFM that can be doffed with one hand** thanks to the new QRS (Quick Removal System).

COMPLETE AND CERTIFIED DIVING PACKAGE

NEPTUNE III PACKAGE



Neptune III Diving Full Face mask



SL35TX INT (or DIN) First stage



Quick disconnect hose



Bump (Back-up mask)



Octopus



Pressure gauge



Multitool

Certified EN250:2014 A<10°

MODEL	COLOR	SKU	UPC
1st Stage SL 35 TX INT		9922	764500000402
1st Stage SL 35 TX DIN		9923	764500000419
Extraflex Quick Disconnect Hose	BLACK 32"	OR024998	764500000877
Bump - Back Up Mask & Snorkel Package	BLACK	OR019100	764500011576
Octopus - Secondary Regulator w/Quick Disconnect Hose	YELLOW	OR024900	764500011552
Pressure gauge	BLACK	OR025250	764500012344
Neptune III Back Pack		OR005050	764500012405



NEPTUNE III PACKAGE

Diving Full Face mask w/int 2nd st, surFace air valve, hose, pressure gauge, octopus w/quick disconnect, SL35TX INT (or DIN) First stage + bump (back-up mask) + quick disconnection hose.

MODEL	COLOR	SIZE	SKU	UPC
INT Neptune III Package – Diving Full Face Mask w/ int 2nd st, SL35TX INT First stage , surface air valve, pressure gauge, octopus, + bump + quick connection hose	BLACK	S/M	OR025400	764500014553
	BLACK	M/L	OR025401	764500014560
	WHITE	S/M	OR025402	764500014577
	WHITE	M/L	OR025403	764500014584
	BLUE	S/M	OR025404	764500014591
	BLUE	M/L	OR025405	764500014607
DIN Neptune III Package – Diving Full Face Mask w/ din 2nd st, SL35TX DIN First stage , surface air valve, pressure gauge, octopus, + bump + quick connection hose	BLACK	S/M	OR025410	764500014614
	BLACK	M/L	OR025411	764500014621
	WHITE	S/M	OR025412	764500014638
	WHITE	M/L	OR025413	764500014645
	BLUE	S/M	OR025414	764500014652
	BLUE	M/L	OR025415	764500014669

2 ADDITIONAL PURCHASING OPTIONS:

NEPTUNE III SYSTEM

Diving Full Face mask w/int 2nd st, surFace air valve, hose SL35TX DIN (or INT) First stage.

In some geographic areas, it is necessary to operate with the invoicing of individual components instead of just the package.

NEPTUNE III MASK

Neptune III Diving Full Face mask w/int 2nd st, surFace air valve & hose.

2 ADDITIONAL PURCHASING OPTIONS:



Quick connection hose
not included

NEPTUNE III SYSTEM

MODEL	COLOR	SIZE	SKU	UPC
INT Neptune III System - Diving Full Face mask w/int 2nd stage, surface air valve, hose & SL35TX INT 1st stage	BLACK	S/M	OR025342	764500012894
	BLACK	M/L	OR025343	764500012900
	WHITE	S/M	OR025346	764500012924
	WHITE	M/L	OR025347	764500012931
	BLUE	S/M	OR025350	764500013228
	BLUE	M/L	OR025351	764500013235
DIN Neptune III System - Diving Full Face mask w/int 2nd stage, surface air valve, hose & SL35TX DIN 1st stage	BLACK	S/M	OR025340	764500012870
	BLACK	M/L	OR025341	764500012887
	WHITE	S/M	OR025344	764500012948
	WHITE	M/L	OR025345	764500012917
	BLUE	S/M	OR025348	764500013143
	BLUE	M/L	OR025349	764500013150



Quick connection hose
not included

NEPTUNE III MASK

Quick connection hose not included



Neptune III available in:
3 color options
(black, white and blue)

● ○ ●
and two sizes
(S / M - M / L)

AVAILABLE
ACCORDING
TO REGION



Neptune III can be customized with a fluorosilicone face seal, offering extra protection from chemicals in the water.

neptune III basic



The Neptune III basic is light, simple and no-thrills – it is the FFM of choice for your underwater work, your FFM of choice for scientific diving, your FFM of choice for recreational and sport diving if you're looking for a **reliable, affordable** entry level product.

COLOR	SKU	UPC
NIII BASIC S/M	OR025220	764500013433
NIII BASIC M/L	OR025221	764500013440

Neptune III Basic

The Neptune III Basic is a real Full Face Mask (or Integrated Diving Mask).

It Features a working orinasal mask to create one directional breathing circulation – guaranteeing no fogging, even without use of defogger products – making sure that the diver is always breathing Fresh air with no unwanted CO₂ re-breathed.

It Features a dedicated, certified and engineered second stage for use outside of the mouth. The second stage is specifically designed to work for a FFM; not only it is cold water CE certified, it's design is to be as close as possible to your face, reducing drag, reducing the bulkiness of something "sticking out" of the mask.



DIVE SAFE, DIVE COMFORTABLE, DIVE DRY AND DIVE WARM ON A FULL FACE MASK

The Neptune III Basic has a 6 strap harness to ensure you never lose your 2nd stage – one of the safety Features of our FFMs. Its rigid visor sits close to the eyes giving it a huge field of view and crystal clear vision thanks to the double-coated siloxane treatment. Ensuring comfort and keeping water out is achieved thanks to our unique design top grade silicone face seal – our FFMs are the only ones that feature 2 sizes, from the tiny Small-Medium to the broader Medium/Large.



KEY FEATURES:

- 6 point strap harness
- Real orinatal pocket
- Hard to flood, easy to clear
- Widest field of view on the market
- 2 sizes, "S" shape bellow technology face seal
- Customizable and upgradeable
- Carry bag
- Cold water CE certified, full face. 2nd stage
- New generation, vertical body, balanced, Neptune III 2nd stage
- Tech PU and silicone rubber 2nd stage, shock absorbent shell
- Accessory Surface Air Valve
- Light and durable
- 2 year warranty



UPGRADE YOUR NEPTUNE III BASIC:

- SAV NIII BASIC (SURFACE AIR VALVE)
- EXTENDER FRAME
- Q.R.S. (QUICK RELEASE SYSTEM)
- COMMUNICATION UNIT
- OPTICAL LENS SUPPORT
- BACKPACK

Neptune III Basic SAV (Surface Air Valve) available as accessory

MODEL	SKU	UPC
NIII BASIC SAV	OR025030	764500013457



VESPER

VESPER



MODEL	SKU	UPC
VESPER	OR024800	764500012825

*This product is compatible with all OCEAN REEF IDMs from the SPACE and Neptune lines.

The all-new Vesper is a lightweight, powerful, easy-to-use, Fully integrated secondary diving light. It's reduced size and patent pending placement inside the mask results in a unit that increases the negative buoyancy of the system while being incredibly comfortable. The Vesper is: smaller, lighter than the VL, doesn't require adhesive or screws, can be installed by end-user with no training, charging via USB, Features an infrared sensor, an SOS mode and a multipurpose case, the goal of this case is to protect the unit when stored and transported.



MULTIFUNCTIONAL PROTECTIVE CASE INCLUDED!

(With additional elastic strap for head and wrist/hand mount).

- Battery pack
- Rechargeable with magnetic cable
- Easy to install and remove by the end user
- Ultra light and ultra compact
- Activation with sensor
- S.O.S. mode
- Extra brightness
- Illuminates the face of the user to allow being identified (while not blinding the diver).



WATCH THE VIDEO

FIRST STAGES

MODEL	SKU	UPC
SL35TX DIN	9923	764500000419
SL35TX INT	9922	764500000402

Available in Int (yoke) standard or DIN

OCEAN REEF IDMs are CE certified with this, high performance environmentally sealed and balanced diaphragm First stage with anti-Freeze kit. Adjustable intermediate pressure. Made of chrome plated brass, with a stainless steel piston and spring, and a TeFlon™ seat. 2 high-pressure ports 7/16-20 UNF. Flow rate of approx. 4800 l/m at 140 bar.

SL35TX DIN

Screw connection at 300 bar (4500 Psi).

SL35TX INT

Standard yoke connection 232 bar (3364 Psi).



MODEL	SKU	UPC
Traditional Primary 2nd Stage Regulator w/ black 32" QD hose & male QD	OR024585	764500013389

PRIMARY 2ND STAGE

Standard downstream valve with dive-prediver switch, no adjustment knob.

Weight (without hose) 230g

Quick Disconnection male part to assemble or sold separately, Black ExtraFlex Quick Disconnection Hose 80cm / 32" to assemble or sold separately. Static intermediate pressure 9.5-9.8bar



AVAILABLE
ACCORDING
TO REGION

MODEL	SKU	UPC
PRESSURE GAUGE	OR025250	764500012344

PRESSURE GAUGE

Single piece brass body; copper beryllium coiled inner mechanism; bourdon tube; rack and pinion movement for smooth and precise operation; tempered glass transparent window; plastic cover with loops for fixing; graduation 350 BAR/5000 PSI, Full scale.



MODEL	SKU	UPC
OCTOPUS	OR024900	764500011552

Available in: 120CM /48" hose, Yellow.



OCTOPUS - SECONDARY REGULATOR

This backup second stage is unbalanced, has a dive pre-dive switch, comes with a male quick disconnect part, a 120cm/48" QD ExtraFlex Yellow hose.

Every IDM diver, especially if diving with QDs or Buddies with QDs should have the option, if needed to bail out with secondary conventional second stage, or QD hand connection.



MODEL	SKU	UPC
BUMP	OR019100	764500011576

● Available in Medium size, matte and shiny black

BUMP - BACK UP MASK (& SNORKEL) PACKAGE

Safety when diving is a primary concern For OCEAN REEF.

That is why we put together a back up bailing system made of a comfortable conventional mask with fabric strap for easy and quick donning, a flexible, semi-dry snorkel and a tough pouch where you can fit the mask, the rolling snorkel and hang it on your BCD or on your belt thanks to the 2 D rings and belt loop.



MODEL		SKU	UPC
BLACK	●	OR025061	764500012535
WHITE	○	OR025062	764500012542
GREEN	●	OR025043	764500001478
COBALT	●	OR025038	764500011422
PINK	●	OR025064	764500012580
BLUE	●	OR025063	764500002062
EMERALD	●	OR025039	764500011439



WATCH THE VIDEO

CHECK THIS VIDEO
OUT FOR SOME IDEAS

Available in one size, 7 colors.



CUSTOMIZE AND ADD
ACCESSORIES TO YOUR MASK!



CUSTOMIZATIONS

It is possible to customize, as desired, the components of the mask that do not affect its functionality (through engraving or other printing techniques).



The perfect addition to your Neptunell basic IDM, or any other OCEAN REEF Full Face scuba masks From 2006 on (with nylon clamping band).

This kit is available in 7 different colors.

Each kit includes:

- ① **FRAME** : Frames provide added protection around the head, deliver a refined aesthetic finish to the mask, and allow personalized customization for easy diver identification. The design also offers a wide surface area suitable for accessories. The top features a flat mounting surface, ideal for attaching a GoPro-style sport camera.
- ② **NEW NACS**, or Neptune Adjustable Communication Support is a Patented OCEAN REEF accessory used to mount your OCEAN REEF communication device to your IDM. It's light, sturdy and durable. It distributes the weight of the comm unit perfectly on the mask, you don't feel it anymore.
- ③ **EARPHONE SUPPORTS** : Not only can these be used with a GSM Mercury communication unit (by mounting the earphones directly to the Frame), they also feature predefined drilling points that allow for the installation of side lights. The supports rotate at a 30-degree angle, and the same mounting system can be utilized for action cameras to achieve an immersive on-board point of view.

MODEL	SKU	UPC
EXTENDER CAMERA AND TORCH REMOVABLE SUPPORT	OR025060	764500011385

CAMERA & TORCH SUPPORT

Holds anything cylindrical up to about 70mm (2.7inch) in diameter with re-openable, heavy duty zip ties. Slide comes off when needed for handling – snaps in easily and holds in place. Adds the possibility for horizontal tilt angle (adding to the 30° vertical of the accessory support). Compatible with standard GoPro fitting.

MODEL	SKU	UPC
FOLDABLE NACS	OR025072	764500012399

FOLDABLE NACS

New NACS, or Neptune Adjustable Communication Support is a Patented OCEAN REEF accessory used to mount your O.R. communication device to your IDM. It's light, sturdy and durable. It distributes the weight of the comm unit perfectly to the point you don't even feel it anymore.

This model now features the possibility to fold it inside the mask when storing the IDM. Compatible with left ear type comm units, such as with the GSM G.divers.





PROFESSIONAL ACCESSORIES MOUNT



+



SKU OR025270 - ProFessional Accessories Mount Kit R+L (w/universal slide and clamping band)
UPC 764500013341



+



SKU OR025260 - ProFessional Accessories Mount Kit R (w/universal slide and clamping band)
UPC 764500013334



ADDITIONAL ACCESSORIES PROFESSIONAL ACCESSORIES MOUNT



SKU OR025261
UPC 764500013365

OCEAN REEF
Shearwater Nerd2
HUD mount for FFMs.



SKU OR025262
UPC 7764500013358

OCEAN REEF
Scubapro Galileo HUD
Extender Mount



SKU OR025263
UPC 764500013372

Combo Mount
on Universal Slide



SKU OR025264
UPC 764500014751

Universal Slide

Professional Accessories Mount Kit R+L (w/universal slide and clamping band)



OCEANREEF COMM. ADAPTER (AGA/OTS/KM)

Designed to make the OCEANREEF communication systems compatible with masks from other brands.

The kit includes an UW comm. unit, an adapter for inserting the microphone into the mask, and an adapter for mounting OCEANREEF earphones onto the mask. All components are also available for individual purchase.

FULL SETS

MODEL	SKU	UPC
MERCURY SET FOR AGA	OR033158	764500014799
MERCURY SET FOR OTS	OR033159	764500014805
MERCURY SET FOR KM M48-MOD1	OR033161	764500014928
ALPHA PRO UW 2.0 SET FOR AGA	OR033176	764500014812
ALPHA PRO UW 2.0 SET FOR OTS	OR033177	764500014850
ALPHA PRO UW 2.0 SET FOR KM M48-MOD1	OR033179	764500014935
CUBE SET FOR AGA	OR033183	764500014942
CUBE SET FOR OTS	OR033184	764500014959
CUBE SET FOR KM M48-MOD1	OR033186	764500014966
ALPHA PRO UW 2.0 SET FOR AGA MARSH MARINE CONNECTOR	OR033162	764500014867
ALPHA PRO UW 2.0 SET FOR OTS MARSH MARINE CONNECTOR	OR033163	764500014874
ALPHA PRO UW 2.0 SET FOR KM M48-MOD1 MARSH MARINE CONNECTOR	OR033164	764500014935
CUBE SET FOR AGA MARSH MARINE CONNECTOR	OR033187	764500014973
CUBE SET FOR OTS MARSH MARINE CONNECTOR	OR033188	764500014980
CUBE SET FOR KM M48-MOD1 MARSH MARINE CONNECTOR	OR033189	764500014997



Adapter For the Interspiro AGA/Divator mask



Adapter For Guardian and Spectrum masks

SET COMPONENTS

MERCURY AGA/OTS	OR033156	764500014782
MERCURY KM M48-MOD1	OR033157	764500015062
ALPHA PRO 2.0 UW AGA/OTS	OR033175	764500014829
ALPHA PRO 2.0 UW AGA/OTS MARSH MARINE	OR033165	764500014836
ALPHA PRO 2.0 UW KM M48-MOD1	OR033173	764500015017
ALPHA PRO 2.0 UW KM M48-MOD1 MARSH MARINE	OR033174	764500015024
CUBE AGA/OTS	OR033181	764500015031
CUBE AGA/OTS MARSH MARINE	OR033182	764500015048
COMM. ADAPTER FOR AGA MASK	OR003389	764500014768
COMM. ADAPTER FOR OTS MASK	OR033100	764500014843
NEOPRENE EARPHONE ADAPTER GSM AGA/OTS/KM	OR003430	764500014775
RIGID EARPHONE ADAPTER GSM AGA/OTS/KM	OR003431	764500015055



Adapter For KM M48-MOD1

OTHER BRANDS COMM. ADAPTER

designed to allow communication systems from other brands to be assembled on an OCEAN REEF IDM.

FULL SETS

MODEL	SKU	UPC
OTS BUDDY PHONE FOR OCEAN REEF IDM SET.	OR033101	764500015093

OTS BUDDY PHONE / OTS EMO (HOT MIC) ADAPTER SETS

OTS Buddy Phone / OTS EMO (Hot Mic) adapter for OCEAN REEF IDM can be used to connect an OCEAN REEF mask with an OTS EMO and any OTS communicator, whether hardwired or wireless.

SET COMPONENTS

MODEL	SKU	UPC
OTS BUDDY PHONE/ OTS EMO (HOT MIC) ADAPTER FOR OCEAN REEF IDM	OR033102	764500015079
OTS BUDDY PHONE SUPPORT FOR OCEAN REEF IDM	OR033103	764500015086



OTS buddy phone/ OTS emo adapter for ocean reef idm



ACCESSORIES

MODEL	SKU	UPC
NEPTUNE III BACKPACK	OR005050	764500012405

NEPTUNE III BACKPACK

Neptune III Backpack, a tool designed by divers, For divers.

This backpack has dozens of Features that will challenge your creativity and satisfy your need for an intelligent solution when traveling with your OCEAN REEF Full Face Mask.

Versatility, adaptability, Functionality, customization and badass design are the key words to this new, exciting product From OCEAN REEF.




FIND OUT MORE ABOUT THE BACKPACK!



WATCH THE VIDEO

BACKPACK FEATURES



MULTIPLE BUCKLE CONFIGURATION & MESHES

INSIDE CONFIGURATION



NEW FEATURE!



A durable zipper now connects the backpack's two main compartments, **letting you carry larger items** (like a notabook computer) and turn it into a regular backpack.

MODEL	SKU	UPC
Q.R.S. (QUICK RELEASE SYSTEM)	OR005096	764500012603

Q.R.S. (QUICK RELEASE SYSTEM)

New and unique OCEAN REEF invention, thanks to the Q.R.S. (Quick Release System) the FFM can be doffed with one hand.

This accessory is compatible with all OCEAN REEF Full Face masks (sold separately) and is included with the new Neptune III mask.



WATCH THE VIDEO



MODEL	SKU	UPC
EXTRAFLEX QD HOSE 80CM /32"	OR024998	764500000877
EXTRAFLEX QD HOSE 120CM /48" YELLOW	OR024997	764500000884
EXTRAFLEX COMMERCIAL QD HOSE 80CM /32"	OR024996	764500000891
QD MALE PART ONLY	33019	764500000914
STANDARD 9/16" TO QD ADAPTER	OR024995	764500000907
NEPTUNE HOSE COMMERCIAL QUICK CONNECTION (MALE PART ONLY)	32910	764500000921

Four layer technology, inner layer non-toxic polyurethane blend. Polyester first layer reinforcement, thermo rubber jacket. Polyethylene anti-scratching reinforcement. Commercial & professional hose requires two hands to disconnect.



EXTRAFLEX QUICK DISCONNECT HOSES



EXTRAFLEX COMMERCIAL QUICK DISCONNECT HOSE



QUICK DISCONNECT (MALE PART ONLY)



STANDARD 9/16" ADAPTER

Turns standard hose into QD hose

ACCESSORIES

MODEL	SKU	UPC
SWIVEL CONNECTION	33033	764500000938
DUAL TANK VALVE	33049	764500001003
MULTITOOL	OR005062	764500012610

SWIVEL CONNECTION

The Swivel connection moves freely turning 360° around its axis. It allows free movement of the hose and a streamlined configuration. Chromium plated brass. Can be used with quick disconnect.



DUAL TANK VALVE

Allows connection of the second stage directly to two gas sources (mix, side mounting, pony bottle).

Allows a diver to alternate between sources without removing the mask. Solid piece of chromium plated brass.

Stainless steel cord attaches to safety clip (avoids an unwilling switch of gas).

Nice and smooth movement while easy to operate with thick gloves.

Can also be used with quick disconnect.

Not available in UK.



MULTITOOL (IMPROVED STAINLESS STEEL INSERTS)

Our multitool is the perfect holder for the equalization extensions, and also has numerous functions for a wide variety of uses.



MODEL	SKU	UPC
OPTICAL LENS SUPPORT 2.0	OR033304	764500001898

● Available in one size, Black



OPTICAL LENS SUPPORT 2.0

Compatible with IDMs M/L and FFSSMs Aria, Aria QR+, UNO (sizes ranging from S/M to L/XL, XS excluded), Sea Vu Dry S/M - L/XL, Easy breath S/M - M/L - L/XL, Tusa Sport S/M to L/XL. Lens correction for your IDM and FFSSM without ruining your mask.


Use them as convenient glasses on land - snap the legs off and put the Frame in your mask when you scuba dive or snorkel for an optical corrected mask!

This product is part of our living eco line - 100% plant based plastic



WATCH THE VIDEO

IDM's



ACCESSORIES

MODEL	SKU	UPC
LEFT -1.0	OR033400	764500002116
RIGHT -1.0	OR033401	764500002123
LEFT -1.5	OR033402	764500002130
RIGHT -1.5	OR033403	764500002147
LEFT -2.0	OR033404	764500002154
RIGHT -2.0	OR033405	764500002161
LEFT -2.5	OR033406	764500002178
RIGHT -2.5	OR033407	764500002185
LEFT -3.0	OR033408	764500002192
RIGHT -3.0	OR033409	764500002208
LEFT -3.5	OR033410	764500002215
RIGHT -3.5	OR033411	764500002222
LEFT -4.0	OR033412	764500002239
RIGHT -4.0	OR033413	764500002246
OPTICAL LENS POINT OF SALE - 28 LENSES	OR033420	764500011453
MAGENTA COLOR ENHANCING LENSES - PAIR	OR033415	764500011569



LENSES

Single prescription lenses For our Optical lens 2.0 support are available in 7 different corrections per eye.

OPTICAL LENS POINT OF SALE

We also have a Point of Sale that includes 28 lenses.

MAGENTA COLOR ENHANCING LENSES

Magenta lenses are made to enhance your uw vision. Because the water absorbs much of the wavelength of sunlight, colors might look less intense, dull, or different from what they really are. When installed on the Optical Lens 2.0 system, these lenses help counteract this color loss by correcting wavelength filtration. The result is a more vibrant and accurate perception of the reef's amazing colors.



CUSTOMIZATIONS

It is possible to customize, as desired, the components of the mask that do not affect its functionality (through engraving or other printing techniques).





GSM|mercury



**NEW
BLUE-MIC!**

**IMPROVED
CLARITY**



DUAL POWER VERSION!

THE GSM MERCURY DUAL POWER HAS THE SAME FEATURES AS THE GSM MERCURY. INSTEAD OF HAVING 2 CHANNELS IT HAS THE OPTION OF HAVING CHANNEL 1 AT NORMAL POWER AND REDUCED POWER. THE UNIT IS EASILY RECOGNIZED THANKS TO A FLUORESCENT YELLOW STICKER THAT READS "DUAL POWER".

MODEL	SKU	UPC	ASIN
GSM MERCURY	OR033150	764500011507	B07YBCRVMX
DUAL POWER VERSION	OR033155	764500013730	B07YBCRVMX

THE MOST COMPLETE UNDERWATER WIRELESS UNIT ON THE MARKET

This unit is blending four different OCEAN REEF units into one: the extended range of the Gpower, the like-stereo sound of the GSM Gpower SL, the clearness and double channel option of the DC and the battery life of the Gdivers.

Key Features:

- It's Foldable inside the mask. Now you don't need to assemble the comm unit and take it off the mask. Simply fold it close and pack the IDM.
- Rechargeable and replaceable battery offering approximately 30 hours of autonomy. Say goodbye to disposable batteries and the hassle of replacing them before every dive. Recharge conveniently using any standard micro USB cable.
- Digital as the first ever unit we introduced in the market – the DC. This one adds clearer communication, with a higher volume AND 2 earphones for a stereo-like experience.
- Double channel unit for separate teams/conversations, depending on the surrounding environment conditions, it exceeds a range of 800ft /250 meters.
- DAT (Digital Activation Transmission) – hands-free mode.
- Compatible with all prior OCEAN REEF units and competitor units on same frequency.
- PTT button - Its flat, sturdy design with an easy-to-use lever eliminates entanglement, delivering an intuitive operation every time.
- Voice menu that is clear and immediate to learn, matches perfectly the simplicity of the buttons.
- 3 level volume.



WATCH THE VIDEO



VOICE
MENU



PTT BUTTON
INTEGRATES
THE BLUE-MIC



800FT/250M
2 CHANNELS
AVAILABLE



PACKING
INTELLIGENCE



2x
2 SPEAKERS
INTEGRATED



RECHARGEABLE



EXTENDED
BATTERY LIFE

WIRELESS COMMUNICATION

MODEL	SKU	UPC
GSM CUBE3 r2	OR033185	764500014720



WATCH THE VIDEO

GSM CUBE3 R2

The most versatile unit possible.

- Capable of communicating in three different ways: wireless, hard wired, VHF.
- It can be connected to the ALPHA PRO X DIVERS surface unit
- For cable hardwired communication – Full duplex, hands free communication.
- The unit is a permanent wireless unit. Always on receiving mode for any communication on channel 1 or 2 Frequency when battery inserted.
- PTT button activates wireless transmission on channel 1 or 2 when battery inserted.
- Six-pin waterproof connection allows connecting and detaching from cable communication while underwater.
- GSM CUBE3 r2 can be connected to a separate unit in order to interface with a VHF radio and allow radio communication while on the surface.



MODEL	SKU	UPC
GSM G.DIVERS UNDERWATER TRANSCIVER UNIT	OR033109	764500000181

GSM G.DIVERS

Wireless underwater transceiver unit, with the autonomy of approx. 30 hours in receiving mode, and range of operation of 200-250 meters (calm sea water).

Lightweight, powerful single channel and "push to talk" communication system make the GSM Gdivers the perfect addition to any training class or guided tour, For extra safety and For Fun!

The unit operates on the same frequency as all other OCEAN REEF units and most popular wireless communication units on the market.

The GSM Gdivers uses a 9V alkaline battery and has a "low battery" alarm which beeps every 30 seconds when the battery is low.

Damper (For use in pools to reduce reverbs):

MODEL	SKU	UPC
DAMPER	OR023006	764500001027



WIRELESS COMMUNICATION

MODEL	SKU	UPC
M-101A G.DIVERS UNDERWATER RECEIVING UNIT	033107	764500000198

M101A

The M101A G.divers is a receive-only unit operating on one channel. The M101A fits on any conventional mask strap or Full Face mask models. It might be held and shared by more divers thanks to the high quality speaker. The M101A uses a 9V alkaline battery and has a "low battery" alarm which beeps every 30 seconds when the battery is low.

It's the perfect instrument for instructors and team leaders to communicate with divers that don't wear IDMs with the possibility of integrating a transceiver unit.





WIRELESS COMMUNICATION

MODEL	SKU	UPC
M-105 DIGITAL DUAL CHANNEL TRANSCIVER SURFACE UNIT	OR033128	764500000662
MIXER FOR AUDIO OUTPUT M105 AND GAMMA 105	OR006512	764500001140

M105 DIGITAL DC

Surface operator can easily change from one channel to the other by pressing a button, distinguishing two different lines of communication if needed.

Surface to diver unit.

- Transceiver unit.
- Allows communication with any number of divers wearing wireless comm units.
- Direct communication with PTT walkie-talkie.
- Uses 6V DC lead battery. Allows up to 48 hours of operation.
- Can be powered with a 12V DC source.
- Activated only when the antenna is connected to the unit to prevent unwanted loss of power.
- 10mt (approx. 33ft.) transducer cable length. Available in different lengths on request.
- Long cables may require amplifier mounting.
- Has the addition of a second transceiver channel

Comes with:

- Headphone connection.
- Volume control.
- Speaker.
- Water resistant case pressure compensation valve.
- Battery charger.
- Easy to read LED battery tester which shows the power status of the battery.
- Transducer cable.
- Bag.
- Microphone.

Available accessories:

- Audio out cable. (code 8590).
- Headset. (code 8589).
- Tuner for >50 meters M105 Antenna. (code OR008609).
- Splitter for connecting 2 antennas with M105 or M105DC. (code OR023001).
- External power cable code 8594

MIXER

This accessory allows for the connection between the M105 Digital DC and an external amplifier or recorder.

The Mixer takes its power directly from the M105 and does not need a separate battery. Audio output cables are not included.



MODEL	SKU	UPC
M-100 G.DIVERS PORTABLE TRANSCIVER SURFACE UNIT	33165	764500000204



M100

The M100 G.divers is a portable surface transceiver unit that may be worn on the operator's belt.

This high-performance, compact communication unit is designed to meet the demands of divers in action, providing seamless communication without the need for expensive, complicated, or heavy equipment. The main unit is roughly the size of a smartphone, making it portable and easy to use. The main unit has a PTT (Push to Talk) button and a headphone/microphone connector. The unit turns on when the headphone/microphone is connected to the main unit. The unit turns off automatically when the headphone/microphone is removed. A 10 meter (33 Feet) transducer cable connects to the main unit and is lowered into the water.

The operator may control the depth of the transducer.

It operates on one channel and uses a 9V replaceable alkaline battery with autonomy of approximately 30 hours. The range of operation is approx 200 meters (600 Feet).

The unit comes with the following items:

- 10 meter (33 Feet) transducer cable
- Headphone/microphone
- Screwdriver.

HARDWIRED COMMUNICATION

MODEL	SKU	UPC
ALPHA PRO X DIVERS 110/220V	OR033132	764500000709
ALPHA PRO X DIVERS 110/220V SURFACE UNIT ONLY	OR033133	764500000716
ALPHA PRO UW 2.0 (underwater comm unit)	OR033160	764500002338

ALPHA PRO X DIVERS

INCLUDES:

ALPHA PRO UW 2.0 + SURFACE UNIT + PROFESSIONAL 50 M CABLE

This communication unit is specifically designed to meet the needs of professional and commercial divers who require a Full-duplex, hands-free, crystal-clear communication system. Cable communication provides unmatched audio quality. Hand-wired connection ensures constant diver-to-surface communication.



SURFACE UNIT

- Handwired, Full duplex surface unit for underwater communications.
- 2 ports for 2 communication cables.
- On/off and volume adjustment switches.
- Microphone.
- Switch for communication between surface & diver 1, surface & diver 2, surface & diver 1 & diver 2.
- Headset port (headset optional).
- External 12v power port (cable optional).
- Battery charger port.
- Audio/video recall.
- Incorporated speaker.
- 12V rechargeable battery.
- Underwater unit volume adjustment (for both divers).
- Stand-by autonomy: 24h.



ALPHA PRO UW 2.0 (UNDERWATER COMM UNIT):

2 headset, low-profile, Fully integrated, Foldable, hardwired underwater communication unit.

- Waterproof piezoelectric speakers (X2)
- D-Mic microphone
- Full-duplex system
- Audio recall button
- 6 pin waterproof connector
- The unit itself is a hardwired comm. unit.
- Clarity of communication is outstanding
- Range depends on cable length
- Includes recall button
- Speaker and microphone as Featured in all comm. units.

*The Underwater unit can be connected to any professional OCEAN REEF Mask using the OCEAN REEF Extender Frame. Compatible with existing Alpha Pro X-Divers sunFace units.



WATCH THE VIDEO



ALPHA PRO X DIVERS PROFESSIONAL CABLE

Professional cable can be sold separately. Includes yellow rope exterior 10mm diameter and 4000newton resistance.

Available in any length (max 200m/600') with optional bag (up to 100m/300').



New SunFace Unit Video / Audio
Easy Connector

HARDWIRED COMMUNICATION

AUDIO/VIDEO STANDARD LENGHT CABLE	COLOR	SIZE	SKU	UPC
Comm. Cable (roped) 4000N resistance. Includes 6 pin rubber connector (diver) and DIN connector (Surface)	Yellow	50 m/165 ft	OR033134	764500000723
		75m/264 ft	OR033166	764500013747
		100m/328ft	OR033167	764500013754
		150m/492ft	OR033168	764500013761
		200m/656ft	OR033169	764500013778
Video Cable (roped) 4000N resistance. Includes: 4 pin rubber connector (diver) and DIN connector (Surface) for GAMMA ALPHA & GAMMA 105 / GAMMA ALPHA HD	Yellow	50 m/165 ft	OR008575	764500000822
		75m/264 ft	OR008576	764500013808
		100m/328ft	OR008577	764500013815
		150m/492ft	OR008578	764500013822
		200m/656ft	OR008579	764500013839
Comm Floating Cable – 500Kg resistance. Includes 6 pin connector (diver) and DIN connector (surface)	Yellow	50 m/165 ft	OR033170	764500013891
Floating Video Cable - 500Kg resistance. Includes 4 pin connector (diver) and DIN connector (surface)	Yellow	50 m/165 ft	OR033171	764500013921



Available customization with **Marsh Marine** connection to use with 3d party topside units. Ask For quotation.



ALSO AVAILABLE:

1. Cable Fleeters
2. Custom cable length and Floating cables option.



Avoid any traction between the surface and the underwater unit

AUDIO/VIDEO CUSTOM LENGHT CABLE	COLOR	SIZE	SKU	UPC
Comm/Video Cable (roped) 4000N	Yellow	m	008488	764500000747
Comm/Video Floating Cable – 500Kg resistance (4900N). ANY LENGTH, MAX 200m/656 ft	Yellow	m	OR006500	764500000747
Waterproof Rubber Audio Connector 6 Pins			OR005270	764500011460
Waterproof Rubber Video Connector 4 Pins			08487	764500011477
DIN Connector to Surface Unit			OR008616	764500011491

ALPHA PRO X DIVERS BAG

This bag is designed to be incredibly tough to carry coil cables, it is bright colored and easy to spot. The drawstring top prevents items from falling out but comfortably leaving the cable coiled and connected to a surface unit. Conveniently comes with a handle and shoulder strap.



CABLE FLEETERS

Cable Fleeter is designed to avoid any damage to cabling while retrieving divers. Incredibly resistant, it is available in 2 diameters for multiple cable fitting (range 25-36 mm), or single-cable (range 10-20 mm).

- Continuous weave configuration
- No fraying wires
- Lighter and safer to handle
- Longer Life



CABLE FLOATER

A useful accessory to keep the audio or video cables floating. Each package contains three pcs and two Velcro straps keep the floater in position around the cable.

AUDIO/VIDEO CABLE ACCESSORIES	COLOR	SIZE	SKU	UPC
Professional ALPHA PRO Cable 50m Bag	Orange		008686	764500000754
Professional ALPHA PRO Cable 75-100m Bag	Orange		008687	764500000761
Cable Floater	Orange	3 PCS	OR015001	764500000778
Cable Fleeters 10-20			OR033148	764500013310
Cable Fleeters 25-36			OR033149	764500013327

COMPARING UNITS

	GSM MERCURY **	GSM G.DIVERS	M101A
CODE	OR033150	OR033109	33107
TYPE	wireless	wireless	wireless
ACTIVATION	automatic (in water)	automatic (in water)	automatic (in water)
TRANSMISSION	PTT	PTT	Receiving only unit
RECEIVING	automatic	automatic	automatic
VOLUME ADJUSTMENT	Yes	no	no
EARPHONES	Ceramic	Ceramic	Ceramic
TRANSMISSION TYPE	DSB	DSB	DSB
AUDIO BANDWIDTH	300-3000Hz	300-3000Hz	300-3000Hz
AUTOMATIC GAIN CONTROL (AGC)	Greater then 80dB	Greater then 80dB	Greater then 80dB
FREQUENCY	ch1 32.768 Hz ch2 41.000 Hz	ch1 32.768 Hz	ch1 32.768 Hz
RANGE OF OPERATION (DEPTH RATING)	50m / 170ft	40m / 140f	40m / 140ft
TRANSMISSION RANGE*	250 m/850 ft	200 m/600 ft	200 m/600 ft
TRANSMIT OUTPUT RANGE	0,95W PEP	0,5W PEP	-
POWERED BY	rechargeable 3,7v li-ion battery (included)	9v alkaline (not included)	9v alkaline (not included)
AUTONOMY (TOTAL)	30h	25h	25h
LOW BATTERY AUTONOMY (AFTER ALARM STARTS)	3h	1h	1h
LOW BATTERY ALARM	Battery Low voice message	1 beep/30s	1 beep/30s
D.A.T. TM	Yes	no	no
SQUELCH	Yes	no	no
MICROPHONE	Blue-Mic (Dynamic)	D-Mic (Dynamic)	D-Mic (Dynamic)
TRANSDUCER	Ceramic cylinder	Ceramic cylinder	Ceramic cylinder
WEIGHT WITH BATTERIES IN AIR	380g / 0,83lbs	400g / 0,88lbs	300g / 0,66lbs
REQUIRES EXTENDER FRAME/KIT	Yes	no	no

(*) depending on sea conditions & noise levels.

(**) The GSM Mercury Dual Power version has the same characteristics as the GSM Mercury. Instead of having 2 channels it has the option of having channel 1 at normal power and reduced power. The unit is easily recognized thanks to a Fluorescent yellow sticker that reads "Dual Power".

GSM CUBE3 R2	ALPHA PRO X DIVERS 2.0 (UW UNIT)
OR033185	OR033100
wireless/handwired	handwired
automatic (in water)	automatic (in water)
PTT/Full duplex	Full duplex
automatic/Full duplex	Full duplex
not in wireless mode/yes, From the sunFace when handwired	yes, From the sunFace when handwired
Ceramic	Ceramic
DSB/cable	cable
300-3000Hz	-
Greater then 80dB	-
ch1 32.768 Hz ch2 41.000 Hz	-
50m / 170ft	40m / 140ft
250 m/850 ft 250m/800ft cable	max 250m/800ft cable
0,5W PEP	-
rechargeable 3,7v li-ion battery (included)	no power needed
30h/ depending on sunFace when handwired	depending on sunFace
3h/ depending on sunFace when handwired	depending on sunFace
Battery Low voice message	No
Yes	No
Yes	No
Blue-Mic (Dynamic)	D-Mic (Dynamic)
Ceramic cylinder	-
450g / 1lbs	350g / 0,77lbs
Yes	Yes



AUDIO & VIDEO SURFACE UNITS

MODEL	SKU	UPC
GAMMA ALPHA HD	OR033140	764500013396

GAMMA ALPHA HD

surface portable video and audio unit. All new features:

All new Features:

- 13" Full HD increased backlit, anti-reflective Screen.
- AHD 1080p wide angle Camera (120°)
- Option to display split screen for both cameras, for contemporary viewing.
- Digital video out (HDMI).
- PC/Mac connection USB-A Plug & Play.
- Internal recording devices: programmable DVR with 320GB expandable to 1TB recording both audio and video.
- Backup recording: digital audio+video via USB-A (pen drive or HDD not included).
- Gamma Alpha can receive audio and video from two divers.
- On/Off and speaker volume adjustment switch.
- Speaker.
- Microphone.
- Switch for communication between surface & diver 1, surface & diver 2, surface & diver 1 & diver 2 combined.
- Headset port (headset optional).
- Audio/video recall from divers.
- 12V rechargeable battery + battery charger.
- Underwater unit volume adjustment (for both divers).
- External power charger, 12V (cable optional).
- Stand-by autonomy: 24h.
- Professional surface/diver cable (50 meters, 165 Ft. long) (can be sold separately). (code OR033134).
- Includes new Alpha Pro 2.0 hardwired underwater comm unit - can be sold separately code: OR033160.
- Professional video cable (50 mt, 165 Ft. long) (can be sold separately). (code OR008575).



WATCH THE VIDEO



AUDIO & VIDEO SURFACE UNITS

MODEL	SKU	UPC
GAMMA 105 NTSC	OR033107	764500000792
GAMMA 105 PAL	OR033108	764500000785



GAMMA 105

This is an audio/video surFace unit. Integrates wireless audio and hardwired video.

- Ultrasonic surFace communication unit: 10 m (33 Ft) transducer cable, microphone, external power supply cable, audio port, headphone port, volume control, and loudspeaker.
- 7 inch 16:9 color LCD monitor; speaker; audio and video port, brightness and color controls.
- Video port For external video recorder or monitor.
- 12V battery.
- Battery charger connector.
- 12V battery charger.
- CCD Micro Video Camera with underwater housing and mounting bracket. Also sold separately.
- 50 m (165 Ft) camera cable. Available length on request.

SPECIAL PRODUCTS AND TOOLS

IN ADDITION - OUR CUSTOM SERVICES

MODEL	SKU
*AQUARIST 110 V / 220 V SURFACE UNIT	OR033180
*UNDERWATER UNIT 2.0	OR033160



BROADCASTING/ CONFERENCE CALL

Custom made systems For underwater live broadcasting, conference calls, audio & video, one way or 2-way communication (i.e. Skype calls!). Excellent For education, TV, shows, presentations, exploration etc.

*AQUARIUM AND SHOWS INSTALLATIONS

Custom-made systems For wireless or hardwired communication between submerged personnel, surFace teams, and other points. Can be connected to Facility amplification systems For public interaction (e.g., Scripps Aquarium, Dubai Mall, Jakarta Aquarium).



MODEL	SKU	UPC
ACM BASE UNIT (DIN/INT)	CUSTOM PRODUCT	CUSTOM PRODUCT

PORTABLE AIR CONTROL MODULE

- Lightweight, portable control box For surFace air supply and optional communication operations (available upon request).
- If communication is requested, a ALPHA PRO X DIVERS unit is installed into the ACM (underwater units not included) permitting Full duplex with max 2 divers. Cables will then run down with surFace air supply cables.
- Depth Gauge/Pneumo Systems: Dual reading gauges continuously monitoring the diver's depths From 0-40m (0-130ft). Maximum recommended user depth: 40m, 130ft FSW.
- Depth Monitoring/Pneumo Knob is used to meter the Flow of air used For depth measurement.
- The Stainless Steel Air Outlets Fittings connect the diver's air supply hose to the ACM, providing a strong, reliable, corrosion resistant connection. Shut-off valves allow the isolation of one diver's air supply From the other.
- Regulator Adjustment Knob controls the air pressure delivered to the diver's umbilical. Variable pressure settings are obtainable.
- Selector Valve Handle is used to choose either one of the air supply cylinders. Individual cylinders may be changed out without interrupting the dive.
- High Pressure (HP) Supply Gauges directly monitor the pressure in each of the air supply cylinders.



SPECIAL PRODUCTS AND TOOLS

MODEL	SKU	UPC
OCEAN ECHO	OR033191	764500014744

NEW!

OCEAN-ECHO

This device allows you to play an audio message previously stored in its memory by transmitting it via ultrasound using DSB-SC (Double Side Band – Suppressed Carrier) modulation on Channel 1 (32.768 kHz).

It is powered by a 12V battery. Two LEDs indicate the device status: the green LED shows activity, while the red LED lights up when the battery voltage drops below approximately 8V. The device will continue to operate down to voltages of about 7V, providing approximately one month of autonomy.

To store a new message, connect the device to a computer using the provided USB cable. It will appear as a standard external mass storage device. Please note that the drive letter assigned may vary and may not always be F:.



Included:

- Ocean Echo unit
- USB cable for connecting to a PC
- Charger
- Manual

NEW!

SPECIAL PRODUCTS AND TOOLS

MODEL	SKU	UPC
WMT (Wireless Microphone Transmitter)	OR033193	764500014737

WIRELESS MICROPHONE TRANSMITTER

The WMT, developed and designed with Divevolk allows the connection between a video camera or phone and the external microphone in the mask equipped with the Alpha Pro Underwater Unit or GSM Cube3 r2 (not included).

This device allows high quality audio to be recorded while using a video camera, enhancing the recording experience in underwater environments. In addition to recording audio through the microphone, once connected, the device is also linked to the Underwater Units headphones, allowing you to listen to what is being played by the camera / smartphone directly through the headphones, underwater.

Comes with:

- Wireless microphone transmitter
- USB cable for connecting to a PC
- Charger
- Quick release system
- Manual



WATCH THE VIDEO



QUICK
RELEASE
SYSTEM



MODEL	SKU	UPC
BASIC LEVEL 2 TOOL KIT	OR035021	
OCEAN REEF LUXURY TOOL KIT	OR035010	
NEPTUNE SPACE NOZZLE ADJUSTMENT TOOL	9754	764500001171
NEPTUNE SPACE REGULATOR ADAPTER	9794	764500001195
NEPTUNE III REGULATOR ADAPTER	OR005068	
PORTABLE TEST BENCH CLASS B PRODUCT	9805	764500001188

BASIC LEVEL 2 TOOL KIT

Tools required For servicing the IDM masks.

OCEAN REEF LUXURY TOOL KIT

Tools needed For servicing the IDM masks.

NOZZLE ADJUSTMENT TOOL

For every Ocean Reef Service Center -used to adjust the 2nd stage according to Factory specs IDM.

NEPTUNE SPACE REGULATOR ADAPTER

For technicians who set up and check Space mask regulators prior to mask assembly.

NEPTUNE III REGULATOR ADAPTER

For technicians who set up and check Neptune III mask regulators prior to mask assembly.

PORTABLE TEST BENCH

Portable test bench For OCEAN REEF IDM and conventional regulators.



SPECIAL BUNDLES – AVAILABLE ACCORDING TO REGION

MODEL	SKU	UPC
LA PROJECT KIT CLASS B PRODUCT	OR023016	764500013792

LA project

advantages of uw communication on liveboards

A convenient bundle to have on your liveaboard. The safest way of handling your diver guests is to be able to communicate with them.



For the larger vessel



For the tender boat



To communicate with conventional divers



For the Dive Guides



WATCH THE VIDEO

MODEL	SKU	UPC
B2D – BOAT TO DIVER	OR023015	764500013938

B2D KEY WEST DIVER RECALL SYSTEM

Warn your divers of hazards or weather changes.

- Recall the divers to the boat.
- Complete compatibility with all the OCEAN REEF product range.
- Suit up your boat with a professional, yet affordable diver recall set.

Read more about the M100 and the M101a units in this catalog.

- High Impact Waterproof Suitcase
- Includes 1 M-100 & 1-M101A (can fit up to 3 M101A Units)



SPORTSWEAR²⁰²⁶ & PROMOTIONAL ITEMS

To represent OCEAN REEF
both in and out of the water:

Designed in ITALY



neptune III

T-SHIRT



100% Cotton (Organic),
pre-shrunk, ring-spun and combed.
Heather Grey: 90%
Cotton, 10% Viscose. Thin rib collar.
Unisex

SIZES:

OCEAN REEF TEAM
T-SHIRT **BLACK**

XS ORMP0120
S ORMP0121
M ORMP0122
L ORMP0123
XL ORMP0124
XXL ORMP0125
XXXL ORMP0126

OCEAN REEF TEAM
T-SHIRT **WHITE**

XS ORMP0127
S ORMP0128
M ORMP0129
L ORMP0130
XL ORMP0131
XXL ORMP0132
XXXL ORMP0133

neptune III CAPS

OCEAN REEF TEAM CAP



Black Color
Adjustable Snapback
Embroidered logo
Crown 100% polyester
Visor 100% cotton

ONE SIZE ORMPO102

OCEAN REEF TEST DIVER CAP W/PATCH



Black Color
Adjustable Snapback
Embroidered logo
Crown 100% polyester
Visor 100% cotton

ONE SIZE ORMPO101

STICKERS



**STICKER
TEAM SINCE 1948**

ORMP0171



**AUT.SERVICE CENTER
STICKER 2025-2028**

ORMP0173



**NEMO'S GARDEN
STICKER**

ORMP0172



IDM SHOP WINDOW

ORMP0155



ARIA SHOP WINDOW

ORMP0060



OCEANREEF STICKER

OR034683



TEAM OCEANREEF STICKER

OR034704

PATCH



PATCH TEST DIVER
ORMP0100

DISPLAY



OCEANREEF MASK DISPLAY
OR024503

FLAG



OCEANREEF WHITE FLAG
ORMP0031

CORPORATE




CORPORATE PRESENTATION



CORPORATE PRESENTATION

BROCHURE



BROCHURE NIII

ENG ORMP0097

DE ORMP0103


ESP ORMP0105



BROCHURE NIII

RECREATIONAL

ENG ORMP0097



BROCHURE NIII

PROFESSIONAL PRODUCTS

ENG ORMP0141

IT ORMP0153

SNORKELING INITIATIVES



**OCEAN REEF
SNORKIE TALKIE ADVENTURES**

FLYER SNORKELING

DEVELOPMENT OF THE SAFETY STANDARD BEHIND OUR PRODUCT

The most common concern expressed regarding FF500 use is that CO2 could accumulate inside some brands of FF500 and result in injury or death.

CO2 (Carbon Dioxide) is a gas naturally present in the air we breathe.

- Concentration of CO2 in the air is approximately 0.04%.
- Concentration of CO2 is released at the "breath" of our breathing cycle is around 4-5%.

An atmosphere containing more than 5% of CO2 is considered toxic.

OCEANREEF invented the FF500 in 2012. And, since then, more than 1,000,000 masks designed and manufactured by OCEANREEF have been sold and safely used throughout the world.

Additionally, OCEANREEF has more than 25 years of design and production experience in the US-EU military, professional and recreational full-face snorkel mask and full-face snorkel mask.

Our professional and experienced design and manufacturing experience, along with our safety record and ability to use in our manufacturing facilities, have allowed us to develop and produce the most advanced and safe full-face snorkel mask. We also had physiology professionals give us lessons regarding the way our bodies work and the effective risks of CO2.

We want to share our knowledge related to FF500 safety, specifically related to potential risks concerning CO2.

SAFETY FIRST, AS THE INNOVATOR OF THE MARKET

In a gas mask, there are 2 separated volumes:

Upper volume (UBV) and lower volume (technically called Breath Pocket (BSP)).

The FF500 shares this same design, which means that the breathing cycle of both products performs in the same manner.

1. Inhaled air goes from outside to inside the mask from the filter is a gas mask, from the outside to the FF500.
2. Inhaled air is transferred from the upper volume (where it fills visibility through the mask) to the lower volume, into the one-way valve in the breast pocket, reaching the inside of the original pocket.
3. The air is, then, inhaled by the user.
4. Exhaled air cannot move back into the upper volume, because the breast pocket seals the nose and mouth around the chin. The valve is one-way valve and does not open upwards.
5. The exhaled air moves to the only direction it can: through an exhalation one-way valve (in case of gas mask) and through the exhalation channel, and one-way valve in the breast pocket in case of the FF500.

The breathing cycle is called one-way breathing circulation.

The benefit is to separate fresh air, containing only 0.4% CO2, from used, exhaled air with 4% CO2 concentration.

What is DEAD AIR SPACE?

Dead Air Space is the area inside the mask where there is a mixing of fresh air with exhaled air. This volume is limited to the breast pocket, in the mask and not in the FF500.

Because of one-way valves are NOT installed at the top of a FF500 mask, the dead air space would also include the snorkel, along with any other space where separation between inhaled and fresh air is not guaranteed.

With FF500 on the world market SO-HOT have this feature.

OCEANREEF is one of the few manufacturers to have one-way valves on the three chambers of the snorkel and have an exhaust pocket designed to fully prevent mixing of used and fresh air.

FLYER SNORKELING SAFETY

ENG ORMP0095
DE ORMP009

Why Snorkel with the **ARIA** Full Face Snorkel Mask?



Why **OCEANREEF** underwater, naturally.

- Original FF500 manufacturer with over 1 million masks safely in use.
- Designed and manufactured in Italy.
- Full Service USA production & distribution center.
- Safe, Patented, Original, Fresh air, breathing technology.
- Exceeds CO2 safety guidelines. Independently tested and confirmed by Talcott, an ISO certified laboratory.
- Only brand with patented 2-way Radio Snorkeling Communication System.
- 75+ year history of designing and manufacturing full face mask product for scuba, snorkeling, military and space applications.
- 4 sizes to fit all faces, from kids to adults.

FLYER WHY SNORKEL WITH ARIA

ENG ORMP0093
DE ORMP0158

duo II



NEW 2023!

WATERPROOF 2-IN-1 DRY BAG/BUOY:
YOUR SOLUTION FOR SAFE, COMFORTABLE SNORKELING

FLYER CODE: ORMP0164

OUR ECO-SUSTAINABLE DRY BAG/BUOY PACKAGING

- 1. Storage: Carry your complete snorkeling set worry-free. Fins, mask, snorkel, and snorkel talker communicator fit comfortably inside.
- 2. Adjustable Ergonomics: Thanks to the comfortable and adjustable shoulder strap the dry bag fits perfectly to your comfort needs during the excursion.
- 3. Waterproof and Splash-Resistant: Built to withstand water splashes and marine conditions, our dry bag protects your personal belongings, including clothes and towels.
- 4. Signaling Buoy*: In case of water use, simply attach the strap to your waist and inflate the dry bag. First, send the dry bag, with 5 rotations from the opening, then inflate it. It becomes a high-visibility signaling buoy for added safety during snorkeling sessions.
- 5. Versatile Use: Besides being a reliable dry bag, our 2-in-1 solution provides the peace of mind of a signaling buoy for worry-free snorkeling experiences.

WATERPROOF 2-IN-1 DRY BAG/BUOY:
YOUR SOLUTION FOR SAFE, COMFORTABLE SNORKELING

FLYER CODE: ORMP0165

OCEANREEF **SAFETY** protection equipment

Unlock Your ARIA Mask's Potential!

Aria 10 mask can be used as a device for personal protection in two different configurations:

1

In combination with the Aria Protection Adaptor (APA) and a P3 filter (standard threaded connector EN148-1, RD 40-1/77"), this filter protects against mist, aerosols, particles, fumes, and dust. For more info on filter, see the P3 filter technical sheet on our Mestel Safety website.

2

In combination with the Aria Protection Adaptor (APA), the 80x40 40-22 mm adaptor (conical connector 22mm - ISO 5336-1) and an HEPA filter (standard connection ISO 5336-1). This kind of filter protects against airborne and liquid-borne microbial pathogens. For more info on filter, see the HEPA filter technical sheet on our Mestel Safety website.

Get the APA / 80x40 for free with every ARIA Classic or 6000 mask!

Take advantage of this opportunity to enhance your preparedness for emergencies.

DUO II (DEALER_PRESENTATION)

ENG ORMP0164

FLYER_DRY BAG _BUOY

ENG ORMP0165

ARIA AND APA (US ONLY)

OCEANREEF
undewater, naturally.

AQUARIST

LIVED IN THE OCEAN
FOR MOST OF HIS
LIFE, THE FISH
(OBSERVANT) AND POOLS
WILL COVER THE WORLD.

- ▶ Simple plug 'n' play/easy to use
- ✚ Compact/transportable
- 💰 Cost effective
- 👍 High quality / WOW-effect!

SKU CODE: 08031310



1 unit that CAN OPERATE BOTH 110V/220V.

The AQUARIST is a handheld half / full-depth undewater communication system for conversations between the surface public and new divers.

The communication unit is specifically designed to meet the needs of undewater the environmentally sensitive public, residents and visitors that want the best.

It makes it possible to take a dive in a tank / pool (i.e. equivalent with an O2) in connection with an outside aquarist (surface) the volume of an integrated loudspeaker of a typical surface unit and connects for the audience to communicate live to the dive. Moreover, the volume of the undewater unit can be adjusted from the surface most that included to allow the divers to listen maximum communication during the dive.

We are the CAN OPERATE BOTH 110V/220V. Make sure you [buy the correct power source cable on the back of the unit before connecting](#).





Nemo's Garden: the first ever underwater cultivation of terrestrial plants.

Years ago, Sergio Gamberini was enjoying his summer vacation in Noli, Italy.

Scuba diving has always been more than just a business for him — it's a passion and a lifelong hobby. Everything connected to life in the ocean has always held a special place in his heart.

His life could be described as constant hard work, family, and the ocean.

Find out more at
www.nemosgarden.com



WATCH THE VIDEO

DIVE INTO THE FUTURE

NATURAL BREATHING, NATURAL BUOYANCY



OCEANREEF®
underwater, naturally.




AVELO
simply better scuba



JOIN OUR FACEBOOK GROUP
#ShapingNextGenerationDivers



neptune III Training



OCEANREEF® Online School



Discover the new exciting platform built to learn everything you should know about OCEAN REEF products, their safe and correct use and much more!

This platform is intended for OCEAN REEF Dealers, Technicians, Staff, Area managers and Scuba Professionals who seek deeper knowledge of our products.



Get the certification through your phone, tablet or PC.



Remote 1 on 1 support with an OCEAN REEF Technician Trainer.



Video instruction, quizzes and access to the courses to refresh learning.



Learn at your own pace and refresh your knowledge when you need.



You will get your own certificate ready to print after taking the online exam.

e-Learning

IDM & Underwater Communication

ACADEMIC KNOWLEDGE PROGRAM


This comprehensive **online program** covers all academic aspects of the Full Face Mask (IDM) and underwater communication specialty training, **SUITABLE FOR ALL SCUBA TRAINING AGENCIES.**

Learn at your own pace through engaging modules, and upon completion, receive a printable certificate of academic accomplishment.



OCEANREEF

invents, designs and produces equipment to be Fully at ease in
discovering the underwater wonders



'Reducing our footprint' choices – find out more

OCEANREEF®
underwater, naturally.



Ocean Reef Group

OCEANREEF
underwater, naturally.
SAFETY

protection equipment
engineering
electronics

MESTEL SAFETY Srl
Via Arvigo, 2
16010 Sant'Olcese
Genova (Italia)
Tel. +39 010 7082011
Fax +39 010 7082099

OCEAN REEF Inc
2510 Island View Way
Vista, CA 92081
Phone +1 760 744 9430
Toll free 1 800 922 1764



diving.oceanreefgroup.com
oceanreefgroup.com

